

## CLAIMS

1. A solid dispersion comprising tacrolimus and solid surfactant having a property of hydrophile lipophile balance (HLB) value higher than or equal to about  
5 7.

2. The solid dispersion according to claim 1, wherein the surfactant is at least one selected from the group consisting of sodium lauryl sulfate (HLB=40), poloxamers (HLB  $\geq 7$ ), and sucrose fatty acid esters (18  $\geq$  HLB  $\geq 7$ ).  
10

3. The solid dispersion according to claim 1, the tacrolimus and the solid surfactant are mixed by weight in a ratio of about 1: 0.1 to about 1: 100.

4. The solid dispersion according to any one of claim 1 through claim 3,  
15 comprising additives, without a function of a carrier, of more than one selected from the group consisting of pharmaceutically acceptable excipients, disintegrators, coloring agents, flavouring agents, sweetening agents and lubricants.

5. A method of processing a solid dispersion comprising;  
20 dissolving or dispersing tacrolimus and solid surfactant (HLB  $\geq 7$ ) in solvent that is at least one selected from the group consisting of ethanol, isopropyl alcohol, dichloromethane and chloroform to produce a solution ; and,  
drying the solution.

25 6. The method of claim 5, further comprising;

adding additives, without a function of a carrier, of at least one selected from the group consisting of pharmaceutically acceptable excipients, disintegrators, coloring agents, flavouring agents, sweetening agents and lubricants to the solution.

5           7. A method of processing a solid dispersion, comprising;

dissolving or dispersing tacrolimus and solid surfactant ( $HLB \geq 7$ ) in solvent that is at least one selected from the group consisting of ethanol, isopropyl alcohol, dichloromethane and chloroform to produce a solution ; and

10           spraying the solution on additives, without a function of the carrier, of at least one selected from the group consisting of pharmaceutically acceptable excipients, disintegrators, coloring agents, flavouring agents, sweetening agents and lubricants for producing a granule.

15

20

25